



Groove, LLC

Sample: 2111FID3582.24231

Strain: North Shore Maui

Batch #: 3; Lot #:

METRC Batch: 1A408010000CABD000000220; METRC Sample: 1A408010000CABD000000244


Analysis Initiated: 11/23/2021; Report Created: 11/24/2021

Sampling SOP: SOP-0050

NorthShoreMaui HB3 11.4.2021

Plant, Flower - Cured, Indoor

Harvest/Production Date: 11/04/2021



**21.86%**  
Total Potential  
Psychoactive THC

**0.07%**  
Total CBD

**Pass**  
Foreign Matter

**24.87%**  
Total Raw THC

**25.23%**  
Total Cannabinoids

**Pass**  
11.30%  
Moisture


## Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 11162021

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.05	24.50	245.0
$\Delta$ 9-THC	0.05	0.38	3.8
$\Delta$ 8-THC	0.05	ND	ND
THCV	0.05	ND	ND
CBDa	0.05	0.08	0.8
CBD	0.05	ND	ND
CBN	0.05	ND	ND
CBGa	0.05	0.27	2.7
CBG	0.05	<LOQ	<LOQ
CBC	0.05	ND	ND
<b>Total</b>		<b>25.23</b>	<b>252.3</b>

■ CBDa 
 ■ CBGa 
 ■ THCa 
 ■  $\Delta$ 9-THC



Total Potential Psychoactive THC = THCa \* 0.877 +  $\Delta$ 9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0037; Full spectrum cannabinoid analysis utilizing Shimadzu Prominence High Performance Liquid Chromatography with UV detection (HPLC-UV).

SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers.

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
<http://www.fidimt.com>  
License # L-00002



*Andre Umansky*

Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)





Groove, LLC

Sample: 2111FID3582.24231

Strain: North Shore Maui

Batch #: 3; Lot #:

METRC Batch: 1A408010000CABD000000220; METRC Sample: 1A408010000CABD000000244

Analysis Initiated: 11/23/2021; Report Created: 11/24/2021

Sampling SOP: SOP-0050

NorthShoreMaui HB3 11.4.2021


Plant, Flower - Cured, Indoor  
Harvest/Production Date: 11/04/2021



## Terpenes

Analytical Calibration Batch: Terpenes 11112021

Analyte	LOQ	Mass	Mass
	%	%	mg/g
β-Myrcene	0.008	1.025	10.25
β-Caryophyllene	0.008	0.376	3.76
α-Pinene	0.008	0.234	2.34
α-Humulene	0.008	0.186	1.86
β-Pinene	0.008	0.137	1.37
δ-Limonene	0.008	0.129	1.29
Guaiol	0.008	0.093	0.93
α-Bisabolol	0.008	0.084	0.84
Linalool	0.008	0.062	0.62
trans-Nerolidol	0.008	0.033	0.33
Caryophyllene Oxide	0.008	0.027	0.27
α-Terpinene	0.008	ND	ND
Camphene	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
γ-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Isopulegol	0.008	ND	ND
Ocimene	0.008	ND	ND
p-Cymene	0.008	ND	ND
Terpinolene	0.008	ND	ND
<b>Total</b>		<b>2.385</b>	<b>23.85</b>



## Primary Aromas



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
<http://www.fidimt.com>  
License # L-00002



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)





# Certificate of Analysis

Groove, LLC

Sample: 2111FID3582.24231

Strain: North Shore Maui

Batch #: 3; Lot #:

METRC Batch: 1A408010000CABD000000220; METRC Sample: 1A408010000CABD000000244

Analysis Initiated: 11/23/2021; Report Created: 11/24/2021

Sampling SOP: SOP-0050

NorthShoreMaui HB3 11.4.2021

Plant, Flower - Cured, Indoor

Harvest/Production Date: 11/04/2021



## Residual Solvents

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
---------	-----	--------------	------	--------	---------	-----	--------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

## Mycotoxins

Pass

Analytical Calibration Batch: 11/19/2021

Analyte	LOQ	State Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

## Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	NR	NT
Bile-Tolerant Gram-Negative Bacteria	10000	NR	NT
E. Coli	1	ND	Pass
Mold	10000	ND	Pass
Salmonella		ND	Pass

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: Mold, E.Coli, and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
<http://www.fdimt.com>  
License # L-00002



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)





# Certificate of Analysis

Groove, LLC

Sample: 2111FID3582.24231

Strain: North Shore Maui

Batch #: 3; Lot #:

METRC Batch: 1A408010000CABD000000220; METRC Sample: 1A408010000CABD000000244

Analysis Initiated: 11/23/2021; Report Created: 11/24/2021

Sampling SOP: SOP-0050

NorthShoreMaui HB3 11.4.2021

Plant, Flower - Cured, Indoor  
Harvest/Production Date: 11/04/2021



## Pesticides

Analytical Calibration Batch: 11/19/2021

Pass

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.12	0.5	0.5	ND	Pass
Acequinocyl	0.12	2	2	ND	Pass
Bifenazate	0.12	0.2	0.2	ND	Pass
Bifenthrin	0.12	0.2	0.2	ND	Pass
Chloromequat	0.12	1	1	ND	Pass
Cyfluthrin	0.12	1	1	ND	Pass
Daminozide	0.12	1	1	ND	Pass
Etoxazole	0.12	0.2	0.2	ND	Pass
Fenoxycarb	0.12	0.2	0.2	ND	Pass
Imazalil	0.12	0.2	0.2	ND	Pass
Imidacloprid	0.12	0.4	0.4	ND	Pass
Myclobutanil	0.12	0.2	0.2	ND	Pass
Paclobutrazol	0.12	0.4	0.4	ND	Pass
Pyrethrins	0.12	1	1	ND	Pass
Spinosad	0.12	0.2	0.2	ND	Pass
Spirotetramat	0.12	0.2	0.2	ND	Pass
Trifloxystrobin	0.12	0.2	0.2	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
<http://www.fidimt.com>  
License # L-00002



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []