

Powered by Confident Cannabis 1 of 4

### Sample: 2112FID3923.26575

Strain: Sour Deisel Batch #: A; Lot #: METRC Batch: 1A408010000E4E9000000196; METRC Sample: 1A408010000E4E9000000284 Analysis Initiated: 12/21/2021; Report Created: 12/23/2021 Sampling SOP: SOP-0050

#### Sour Deisel Rosin (H3)


Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 11/18/2021

	<b>75.65%</b> Total Potential Psychoactive THC	<b>0.21%</b> Total CBD	<b>Pass</b> Foreign Matter	
	86.09%	89.08%	Complete <sub>NR</sub>	
	Total Raw THC	Total Cannabinoids	Moisture	

## Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 11162021

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	84.91	849.1
∆9-THC	0.09	1.18	11.8
∆8-THC	0.09	ND	ND
THCV	0.09	ND	ND
CBDa	0.09	0.24	2.4
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	2.24	22.4
CBG	0.09	0.51	5.1
CBC	0.09	ND	ND
Total		89.08	890.8



Total Potential Psychoactive THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0037; Full spectrum cannabinoid analysis utilizing Shimadzu Prominence High Performance Liquid Chromatography with UV detection (HPLC-UV). SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



**Fidelity Diagnostics Laboratory** 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-00002





Accreditation #: 102722

Accredited to ISO/IEC 17025:2017

Andre Umansky Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



www.confidentcannabis.com

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []

Pass



Powered by Confident Cannabis 2 of 4

## Sample: 2112FID3923.26575

Strain: Sour Deisel Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000196; METRC Sample: 1A408010000E4E9000000284 Analysis Initiated: 12/21/2021; Report Created: 12/23/2021 Sampling SOP: SOP-0050




#### Sour Deisel Rosin (H3)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 11/18/2021

#### Terpenes

Analyte	LOQ	Mass	Mass
	%	%	mg/g
β-Caryophyllene	0.008	2.240	22.40
α-Humulene	0.008	0.861	8.61
δ-Limonene	0.008	0.747	7.47
β-Myrcene	0.008	0.746	7.46
α-Bisabolol	0.008	0.609	6.09
trans-Nerolidol	0.008	0.557	5.57
Linalool	0.008	0.198	1.98
β-Pinene	0.008	0.192	1.92
α-Pinene	0.008	0.095	0.95
Caryophyllene Oxide	0.008	0.062	0.62
Camphene	0.008	0.033	0.33
Isopulegol	0.008	0.021	0.21
Terpinolene	0.008	0.012	0.12
α-Terpinene	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
y-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Guaiol	0.008	ND	ND
Ocimene	0.008	ND	ND
p-Cymene	0.008	ND	ND
Total		6.373	63.73

Analytical Calibration Batch: Terpenes 12132021



#### **Primary Aromas**



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).









Accreditation #: 102722

Andre Umansky Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



www.confidentcannabis.com

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Powered by Confident Cannabis 3 of 4

### Sample: 2112FID3923.26575

Strain: Sour Deisel Batch #: A; Lot #:

Pass

METRC Batch: 1A408010000E4E9000000196; METRC Sample: 1A408010000E4E900000284 Analysis Initiated: 12/21/2021; Report Created: 12/23/2021 Sampling SOP: SOP-0050

Sour Deisel Rosin (H3)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 11/18/2021

#### **Residual Solvents**

Analytical Calibration Batch: R.S. 12132021

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	400	5000	ND	Pass	Hexanes	20	290	ND	Pass
Benzene	2	2	ND	Pass	Isopropanol	400	5000	<loq< th=""><th>Pass</th></loq<>	Pass
Butanes	40	5000	ND	Pass	Methanol	400	3000	<loq< th=""><th>Pass</th></loq<>	Pass
Chloroform	2	2	ND	Pass	Pentanes	20	5000	ND	Pass
Cyclohexane	20	3880	ND	Pass	Propane	40	5000	ND	Pass
Dichloromethane	20	5000	ND	Pass	Toluene	20	890	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass	Xylenes	20	2170	ND	Pass
Heptanes	20	5000	ND	Pass					

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins				Pass
Analytical Calibration Batch: 12	2/1/2021			
Analyte	LOQ S	tate Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	NR	NT
Bile-Tolerant Gram-Negative Bacteria	10000	NR	NT
E. Coli	1	ND	Pass
Mold	10000	ND	Pass
Salmonella		ND	Pass

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all

quality control samples performed within specifications established by the Laboratory. SOP-0057: Mold, E.Coli, and Salmonela analysis on AriaDX qPCR using Medicinal

 ${\sf LOQ}$  = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-00002





Andre Umansky Laboratory Director

SOP-0061: Mold enumeration using Hardy Diagnostics media.

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866

www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Genomics validated methods.

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001[]



Powered by Confident Cannabis 4 of 4

## Sample: 2112FID3923.26575

Strain: Sour Deisel Batch #: A; Lot #: METRC Batch: 1A408010000E4E9000000196; METRC Sample: 1A408010000E4E9000000284 Analysis Initiated: 12/21/2021; Report Created: 12/23/2021 Sampling SOP: SOP-0050

#### Sour Deisel Rosin (H3)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 11/18/2021

#### Pesticides

Analytical Calibration Batch: 12/1/2021

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



**Fidelity Diagnostics Laboratory** 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-00002





Andre Umansky Laboratory Director

**Confident Cannabis** All Rights Reserved support@confidentcannabis.com (866) 506-5866



www.confidentcannabis.com

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []

Accreditation #: 102722



Pass