



Groove, LLC

Sample: 2201FID0121.0703

Strain: Runtz

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000322; METRC Sample: 1A408010000E4E9000000327

Analysis Initiated: 01/12/2022; Report Created: 01/14/2022

Sampling SOP: SOP-0050

Runtz Live Rosin (H5)

Concentrates & Extracts, Live Rosin, Pressing
Harvest/Production Date: 01/10/2022



	73.76% Total Potential Psychoactive THC	0.17% Total CBD	Pass Foreign Matter
	84.07% Total Raw THC	85.74% Total Cannabinoids	Complete NR Moisture


Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 01042022

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	83.86	838.6
Δ 9-THC	0.09	0.21	2.1
Δ 8-THC	0.09	ND	ND
THCV	0.09	ND	ND
CBDa	0.09	0.20	2.0
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	1.04	10.4
CBG	0.09	0.43	4.3
CBC	0.09	ND	ND
Total		85.74	857.4

Legend: CBG (yellow), CBDa (blue), CBGa (purple), THCa (green), Δ 9-THC (orange)



Total Potential Psychoactive THC = THCa * 0.877 + Δ 9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight.

SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers.

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Andre Umansky

Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Groove, LLC

Sample: 2201FID0121.0703

Strain: Runtz

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000322; METRC Sample: 1A408010000E4E9000000327

Analysis Initiated: 01/12/2022; Report Created: 01/14/2022

Sampling SOP: SOP-0050

Runtz Live Rosin (H5)



Concentrates & Extracts, Live Rosin, Pressing
Harvest/Production Date: 01/10/2022



Terpenes

Analytical Calibration Batch: Terpenes 01112022

Analyte	LOQ	Mass	Mass
	%	%	mg/g
δ-Limonene	0.008	2.224	22.24
β-Caryophyllene	0.008	1.684	16.84
Linalool	0.008	0.649	6.49
β-Pinene	0.008	0.566	5.66
α-Humulene	0.008	0.443	4.43
α-Pinene	0.008	0.417	4.17
β-Myrcene	0.008	0.212	2.12
trans-Nerolidol	0.008	0.210	2.10
Camphene	0.008	0.080	0.80
Ocimene	0.008	0.072	0.72
Isopulegol	0.008	0.066	0.66
Caryophyllene Oxide	0.008	0.063	0.63
Terpinolene	0.008	0.027	0.27
α-Bisabolol	0.008	ND	ND
α-Terpinene	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
γ-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Guaiol	0.008	ND	ND
p-Cymene	0.008	ND	ND
Total		6.716	67.16



Primary Aromas

Orange

Cinnamon

Lavender

Pine

Hops

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Groove, LLC

Sample: 2201FID0121.0703

Strain: Runtz

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000322; METRC Sample: 1A408010000E4E9000000327

Analysis Initiated: 01/12/2022; Report Created: 01/14/2022

Sampling SOP: SOP-0050

Runtz Live Rosin (H5)

Concentrates & Extracts, Live Rosin, Pressing
Harvest/Production Date: 01/10/2022



Residual Solvents

Pass

Analytical Calibration Batch: R.S. 12132021

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	400	5000	ND	Pass	Hexanes	20	290	ND	Pass
Benzene	2	2	ND	Pass	Isopropanol	400	5000	<LOQ	Pass
Butanes	40	5000	ND	Pass	Methanol	400	3000	<LOQ	Pass
Chloroform	2	2	ND	Pass	Pentanes	20	5000	ND	Pass
Cyclohexane	20	3880	ND	Pass	Propane	40	5000	ND	Pass
Dichloromethane	20	5000	ND	Pass	Toluene	20	890	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass	Xylenes	20	2170	ND	Pass
Heptanes	20	5000	ND	Pass					

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Pass

Analytical Calibration Batch: 01/11/2022

Analyte	LOQ	State Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	NR	NT
Aspergillus	1	NR	NT
Aspergillus flavus	1	NR	NT
Aspergillus fumigatus	1	NR	NT
Aspergillus niger	1	NR	NT
Aspergillus terreus	1	NR	NT
Bile-Tolerant Gram-Negative Bacteria	10000	NR	NT
E. Coli	1	ND	Pass
Mold	10000	ND	Pass
Salmonella		ND	Pass

LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057; E.Coli, and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061; Mold enumeration using Hardy Diagnostics media. SOP-0063; Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Groove, LLC

Sample: 2201FID0121.0703

Strain: Runtz

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000322; METRC Sample: 1A408010000E4E9000000327

Analysis Initiated: 01/12/2022; Report Created: 01/14/2022

Sampling SOP: SOP-0050

Runtz Live Rosin (H5)

Concentrates & Extracts, Live Rosin, Pressing
Harvest/Production Date: 01/10/2022



Pesticides

Analytical Calibration Batch: 01/11/2022

Pass

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chloromequat	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []