

Powered by Confident Cannabis 1 of 4

Groove, LLC Sample: 2202FID0643.4005

> Strain: Sour Deisel Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000395; METRC Sample: 1A408010000E4E9000000402 Analysis Initiated: 02/21/2022; Report Created: 02/23/2022

Sampling SOP: SOP-0050

Sour Diesel Live Rosin Oil (HB6)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 02/21/2022





73.79%

Total Potential Psychoactive THC

74.56%

Total Raw THC

0.24%

Total CBD

77.92%

Total Cannabinoids

Pass

Foreign Matter

Complete


NR

Moisture

Pass Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 02072022

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	6.34	63.4
Δ9-ΤΗС	0.09	68.23	682.3
Δ8-ΤΗС	0.09	ND	ND
THCV	0.09	0.46	4.6
CBDa	0.09	0.17	1.7
CBD	0.09	0.09	0.9
CBN	0.09	0.14	1.4
CBGa	0.09	1.01	10.1
CBG	0.09	1.01	10.1
CBC	0.09	0.48	4.8
Total		77.92	779.2



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Powered by Confident Cannabis 2 of 4

Groove, LLC Sample: 2202FID0643.4005

Strain: Sour Deisel Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000395; METRC Sample: 1A408010000E4E9000000402 Analysis Initiated: 02/21/2022; Report Created: 02/23/2022

Sampling SOP: SOP-0050

Sour Diesel Live Rosin Oil (HB6)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 02/21/2022




Terpenes

Analyte	LOQ	Mass	Mass
	%	%	mg/g
β-Caryophyllene	0.008	1.812	18.12
δ-Limonene	0.008	1.802	18.02
β-Myrcene	0.008	1.566	15.66
α-Humulene	0.008	0.736	7.36
Linalool	0.008	0.420	4.20
α-Bisabolol	0.008	0.405	4.05
α-Pinene	0.008	0.246	2.46
trans-Nerolidol	0.008	0.196	1.96
β-Pinene	0.008	0.136	1.36
Camphene	0.008	0.035	0.35
Terpinolene	0.008	0.019	0.19
α-Terpinene	0.008	ND	ND
Caryophyllene Oxide	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
y-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
Ocimene	0.008	ND	ND
p-Cymene	0.008	ND	ND
Total		7.373	73.73

Analytical Calibration Batch: Terpenes 01252022

β-Caryophyllene



Camphene Linalool β-Pinene Terpinolene α-Pinene β-Myrcene α-Humulene δ-Limonene

α-Bisabolol trans-Nerolidol

Primary Aromas









24.4%



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Powered by Confident Cannabis

Groove, LLC Sample: 2202FID0643.4005

Strain: Sour Deisel Batch #: A; Lot #:

 $METRC\ Batch: 1A408010000E4E9000000395; METRC\ Sample: 1A408010000E4E9000000402$

Analysis Initiated: 02/21/2022; Report Created: 02/23/2022

Sampling SOP: SOP-0050

Sour Diesel Live Rosin Oil (HB6)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 02/21/2022



Residual Solvents Pass

Analytical Calibration Batch: R.S. 01172022

Benzene 2 2 ND Pas Butanes 40 5000 ND Pas Chloroform 2 2 ND Pas Cyclohexane 20 3880 ND Pas Dichloromethane 20 5000 ND Pas Ethyl-Acetate 20 5000 ND Pas	Analyte	LOQ	State Limits	Mass	Status
Benzene 2 2 ND Pas Butanes 40 5000 ND Pas Chloroform 2 2 ND Pas Cyclohexane 20 3880 ND Pas Dichloromethane 20 5000 ND Pas Ethyl-Acetate 20 5000 ND Pas		PPM	PPM	PPM	
Butanes 40 5000 ND Pas Chloroform 2 2 ND Pas Cyclohexane 20 3880 ND Pas Dichloromethane 20 5000 ND Pas Ethyl-Acetate 20 5000 ND Pas	Acetone	400	5000	ND	Pass
Chloroform 2 2 ND Pas Cyclohexane 20 3880 ND Pas Dichloromethane 20 5000 ND Pas Ethyl-Acetate 20 5000 ND Pas	Benzene	2	2	ND	Pass
Cyclohexane 20 3880 ND Pas Dichloromethane 20 5000 ND Pas Ethyl-Acetate 20 5000 ND Pas	Butanes	40	5000	ND	Pass
Dichloromethane205000NDPasEthyl-Acetate205000NDPas	Chloroform	2	2	ND	Pass
Ethyl-Acetate 20 5000 ND Pas	Cyclohexane	20	3880	ND	Pass
	Dichloromethane	20	5000	ND	Pass
Hentanes 20 5000 ND Pas	Ethyl-Acetate	20	5000	ND	Pass
rieptalies 20 3000 ND Fas	Heptanes	20	5000	ND	Pass

Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM	
Hexanes	20	290	ND	Pass
Isopropanol	400	5000	ND	Pass
Methanol	400	3000	ND	Pass
Pentanes	20	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Propane	40	5000	ND	Pass
Toluene	20	890	ND	Pass
Xylenes	20	2170	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins				Pass
Analytical Calibration Batch: 0	2/21/2022			
Analyte	LOQ Sta	ate Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	NR	NT
Aspergillus	1	NR	NT
Aspergillus flavus	1	NR	NT
Aspergillus fumigatus	1	NR	NT
Aspergillus niger	1	NR	NT
Aspergillus terreus	1	NR	NT
Bile-Tolerant Gram-Negative Bacteria	10000	NR	NT
E. Coli	1	ND	Pass
Mold	10000	ND	Pass
Salmonella		ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: E.Coli, and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Powered by Confident Cannabis 4 of 4

Groove, LLC Sample: 2202FID0643.4005

Strain: Sour Deisel Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000395; METRC Sample: 1A408010000E4E9000000402 Analysis Initiated: 02/21/2022; Report Created: 02/23/2022

Sampling SOP: SOP-0050

Sour Diesel Live Rosin Oil (HB6)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 02/21/2022



Pesticides Pass

Analytical Calibration Batch: 02/21/2022

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

rector support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []